

PART 6 – PROPOSED NUMBER OF TABLES AND CHAIRS - Please see guidance note for details of what is acceptable

Number of tables			
Number of chairs			
Additional equipment within the tables and chairs area – please provide details			
Parasols	No	Yes*	* If Yes, please provide details below

PART 7 – BARRIERS - describe the type of barriers you intend to use. Please see guidance note for details of what is acceptable. **Note** if these are not provided your application will be refused

description	

CHECKLIST

The checklist must be fully completed in order to submit your application.

I have provided the following - please tick ✓

Completed application form		
Where a shortened consideration period is requested - reasons for the reduced timescales are attached		
The relevant application fee		<i>See guidance notes for fees</i>
A site plan indicating proposed area of occupation – <i>must include dimensions and dimensions of remaining footway</i>		Note: <i>(if 3m unobstructed footway is not available for pedestrians to get passed the application will be refused)</i>
A Layout diagram showing exact positions of tables and chairs		
A fully completed wind management plan		
Confirmation that the current public liability insurance is sufficient to cover the outside area where the tables and chairs are being placed		
Confirmation that a site notice is currently being displayed and will remain in place for 14 days		

Signature of Applicant /Agent <i>(delete as appropriate)</i>	Date
Print Name:	

CORRESPONDENCE DETAILS – *please provide details of where all correspondence relating to this application should be sent*

Name	
Address	
Postcode	
contact phone no	
email address	

Table and Chairs Consent Wind Management Plan Template & Related Info

Nominated person(s) :-

*
*
*
*

Contact telephone numbers

Land – () Mobile - ()

Weather conditions

Weather forecast from the following websites or information sources have been checked prior to trading:

*
*
*
*
*

Prior to Trading

Compare the predicted wind strengths (from information sources) against the operational wind speed limits of the temporary structure(s), this should include canopies, parasols, screens, etc.
If the wind speeds are forecast to be higher than operational limits, then trading or use of the structures may have to be curtailed / cancelled.

Day of Trading

Structures should be weighed down with ballast/weights relative to the predicted wind gust speed. This information can be either supplied by the manufacturer or by an engineer.
To ensure that any structures are dismantled in good time if the weather begins to worsen and to avoid any accidents, a maximum wind speed should be set. If the wind picks up to 75% of that speed, the structures should start to be dismantled before the wind becomes too strong to do this safely.

Maximum wind speed is * _____

*Use the wind speed specified by manufacturer or by engineer

Therefore, 75% of maximum windspeed is ** _____

**Choose a wind speed at which trading / use of structures will cease.

These wind speeds can be expressed using any unit of measurement, however a Beaufort Wind Scale is attached for reference.

NB: The chosen wind speed must be consistent with the information above

.

Beaufort Wind Scale

**Developed in 1805 by Sir Francis Beaufort of
England**

Force	Wind (mph)	WMO Classification	Appearance of Wind Effects	
			On the Water	On Land
0	Less than 1	Calm	Sea surface smooth and mirror-like	Calm, smoke rises vertically
1	1-3	Light Air	Scaly ripples, no foam crests	Smoke drift indicates wind direction, still wind vanes
2	4-7	Light Breeze	Small wavelets, crests glassy, no breaking	Wind felt on face, leaves rustle, vanes begin to move
3	8-12	Gentle Breeze	Large wavelets, crests begin to break, scattered whitecaps	Leaves and small twigs constantly moving, light flags extended
4	13-18	Moderate Breeze	Small waves 1-4 ft. becoming longer, numerous whitecaps	Dust, leaves, and loose paper lifted, small tree branches move
5	19-24	Fresh Breeze	Moderate waves 4-8 ft taking longer form, many whitecaps, some spray	Small trees in leaf begin to sway
6	25-31	Strong Breeze	Larger waves 8-13 ft, whitecaps common, more spray	Larger tree branches moving, whistling in wires
7	32-38	Near Gale	Sea heaps up, waves 13-20 ft, white foam streaks off breakers	Whole trees moving, resistance felt walking against wind
8	39-46	Gale	Moderately high (13-20 ft) waves of greater length, edges of crests begin to break into spindrift, foam blown in streaks	Whole trees in motion, resistance felt walking against wind
9	47-54	Strong Gale	High waves (20 ft), sea begins to roll, dense streaks of foam, spray may reduce visibility	Slight structural damage occurs, slate blows off roofs
10	55-63	Storm	Very high waves (20-30 ft) with overhanging crests, sea white with densely blown foam, heavy rolling, lowered visibility	Seldom experienced on land, trees broken or uprooted, "considerable structural damage"
11	64-72	Violent Storm	Exceptionally high (30-45 ft) waves, foam patches cover sea, visibility more reduced	Large trees uprooted
12	73+	Hurricane	Air filled with foam, waves over 45 ft, sea completely white with driving spray, visibility greatly reduced	Widespread damage occurs

TABLES AND CHAIRS CONSENT NOTICE OF APPLICATION

Roads (Scotland) Act 1984 Section 59

SITE NOTICE NOTICEIS HEREBYGIVEN THAT

Full Name of applicant or Company / Partnership			
Address of Premises			
		Postcode	

Has applied to the City of Edinburgh Council (CEC) for the Grant / Renewal of a Tables and Chairs Permit

To operate between: _____ and _____

The hours of operation will be **0900hrs to 2100hrs, 7 days per Week**

An extension to the above hours **has/ has not** been requested until **2200hrs**

Any objection relating to this application should be addressed to:

**Business Services/ Transport Managers
Place
Transport
Business Centre G4, Waverley Court, 4 East Market
Street, Edinburgh, EH8 8BG**

Objections must be lodged within **14 days** of the date application was lodged with CEC Date ___ / ___ / ___

Objections must be in writing and must specify the grounds of the concern(s), the name and address of the person making it and must be signed by that person or their agent.

This site notice must be displayed prominently in a position clearly visible to the public and within a 20 metre radius of the above premises.

This site notice must be displayed for a period of **14 days** from the date of application was lodged with the City of Edinburgh Council

Applicant's Signature		Date	/ /
------------------------------	--	-------------	-----