# SEPA Air Modelling Results - Interim Presentation Summary

# Main Points to Note

- Both Large and Small LEZ options will improve air quality in the city centre (compared to 'No LEZ', there will be 75% fewer model exceedance points) and, to a lesser extent, the whole city (compared to 'No LEZ', there will be 50% fewer model exceedance points)
- For the Large and Small LEZ options, around 10% of modelled points that are 'In and Within 500m of the Large LEZ' have increased concentrations, when compared to the Base Run/Do Nothing scenario. They are, however, in different locations, have different magnitudes and last for different periods of time.
- The Large LEZ option will improve air quality over a larger area of the city centre than the Small LEZ, however will likely significantly increase concentrations and create new model exceedances on Palmerston Place and Chester Street. The 'future scenario' suggests these new model exceedances will not last long
- The Small LEZ option will not result in new model exceedances, however, the existing model exceedances on Lothian Road are still present in the 'future scenario' and will take longer to resolve.
- The introduction of a city centre LEZ does not significantly change predicted concentrations for AQMA's away from the city centre (e.g. Leith, Corstorphine) due to displaced traffic. No new exceedances are predicted in these areas, and air quality will improve as new vehicles enter the fleet and emissions are reduced over time.

# Introduction and Background

Air quality monitoring and management activities in Scotland is primarily driven by the 2008 ambient air quality directive (2008/50/EC), which was incorporated into Scottish law through the Air Quality Standards (Scotland) Regulations 2010. At a local level, The Environment Act 1995 and Regulatory Reform (Scotland) Act 2014 sets out the Local Air Quality Management (LAQM) regime to assist Local Authorities in achieving air quality standards and objectives to protect human health.

The Cleaner Air for Scotland (CAFS) strategy, released in 2015, sets out how Scottish Government and its partner organisations propose to further reduce air pollution to protect human health and fulfil Scotland's legal responsibilities as soon as possible. The strategy includes commitments to ensure a consistent approach to the appraisal, design and implementation of Low Emission Zones (LEZ) through the application of the National Low Emission Framework (NLEF), in conjunction with the National Modelling Framework (NMF)

In September 2017, the Scottish Government's Programme for Government committed to the introduction of LEZ's in Scotland's four biggest cities (Glasgow, Edinburgh, Aberdeen and Dundee) by 2020, with the first introduced in Glasgow in 2018. COVID-19 and the subsequent lock-down restrictions have temporarily paused the implementation of LEZ's and the Scottish Government have set a new timetable for LEZs to be introduced across all four cities between February and May 2022.

CAFS is currently under review, with an updated strategy (CAFS2) expected later in 2021. The initial findings of the review identified that Scotland was performing well on air quality, with the major pollutants continuing to

#### **OFFICIAL – BUSINESS**

fall as a result of actions taken to date. However, the review also recommended that Scotland must take a precautionary public health approach to air quality reductions.

The modelling presented here has been carried out in line with the NMF, which has the aim to deliver a detailed and consistent approach to urban air quality modelling. The methodology was developed during a pilot project in Aberdeen and was reviewed by Professor Margaret Bell of Newcastle University.

The NMF methodology is based on using high quality and detailed traffic data to calculate vehicle emissions, appropriate meteorology and background concentration data. Models are built using the same software (ADMS Urban for dispersion modelling and EMIT for emissions calculations); consistent methods and model settings are used, where appropriate. Street geometry data (e.g. road layout, road width and building heights) are derived from the same sources. The results of the modelling are processed, visualised and reported in a consistent and informative way.

An earlier report (Air Quality Evidence Report – Edinburgh; November 2018) shows that the NMF Edinburgh model performs well when compared against observed air quality data, highlights how fleet composition changes can improve air quality on a city wide basis and looks at source apportionment for different vehicle sectors.

This report considers how changes to traffic due to the introduction of a city centre LEZ can affect air quality and accompanies a presentation provided to Edinburgh Council. It is important to note that this is an interim report due to technical issues; any uncertainties due to these technical issues are highlighted.

# Low Emission Zone options:

Within this document, the LEZ options are referred to as the 'Large LEZ' and 'Small LEZ':

• Large LEZ: This is the LEZ option which includes Morrison Street, Torphichen Street, Palmerston Place and Chester Street as the Western boundary (Fig 1)




Fig 1: Large Low Emission Zone option

• Small LEZ: This LEZ option has Lothian Road and Charlotte Square as the western boundary (Fig 2)



Fig 2: Large Low Emission Zone option

# Traffic Modelling:

The traffic modelling was carried out by Jacobs, with results in a report issued on 22<sup>nd</sup> February 2021

# Assumptions:

The results presented here assume all Taxis and Buses are compliant across the whole city. Emissions are calculated from 24 hour annual average flows

# Model Exceedances and Air Quality Standards:

This report refers to 'model exceedances' which is the predicted concentration at kerbside points. This differs from the legal Air Quality Standards exceedances which refers to concentrations at relevant receptors. The Nitrogen Dioxide (NO<sub>2</sub>) 40 micrograms per metre cubed (µg/m³) threshold is used for both.

# Air Quality Concentrations compared to 2019 Base Scenario

# NO<sub>2</sub> Concentration Predictions

- An ANPR survey in 2019 has provided comprehensive data on the vehicle fleet composition (% of vehicle classes with a specific Euro class, and hence the % of each vehicle class which are compliant with LEZ rules)
- The air quality model was run for 3 scenarios:
  - No LEZ or 'do nothing' approach
  - Large LEZ
  - Small LEZ
- Traffic flow data used in air modelling is derived from the 2016 traffic survey (this is so consistency
  with traffic modelling has been maintained). The LEZ air quality modelling uses traffic flow and
  compliance predictions from traffic modelling work carried out by Jacobs. More information on Traffic
  Modelling can be found in the report by Jacobs
- Figures 1, 2 and 3 show predicted concentrations from each of the model scenarios. Kerbside points coloured yellow represent NO<sub>2</sub> concentrations between 40 and 55 μg/m³. Black points are NO<sub>2</sub> concentrations greater than 55 μg/m³ (Note that kerbside points are located ~50m apart along kerbs of roads in the model and the model provides predicted concentrations at each of these points)



Fig 3: Base Run (2019 ANPR) conc's



Fig 5: Small LEZ (2019 ANPR) conc's



Fig 4: Large LEZ (2019 ANPR) conc's



Figures 3-5 and Table 1 show both LEZ options show clear improvements to Air Quality across the city (24% of kerbside points across the city exceed 40 μg/m³ in the Base Run and this is reduced to 12% of kerbside points across the city that exceed 40 μg/m³ if the Large or Small LEZ option is implemented).

- If only the points within the Large of Small LEZ areas are considered, the percentage of kerbside points exceeding 40 μg/m³ is significantly reduced (43% to 8-12%) if either LEZ option is implemented.
- The Large LEZ (Fig 4) shows new model exceedances are predicted in Chester Street/Palmerston Place. This is likely due to increased traffic flows in these streets which is made up of non-compliant (higher emitting) vehicles which are avoiding the LEZ
- The **Small LEZ** (Fig 5) has lower NO<sub>2</sub> concentrations in the West End compared to the Base Run and Large LEZ option, however model exceedances are still predicted on Queen Street and Lothian Road. (Compared to the Large LEZ, the small LEZ would result in higher concentrations on these roads)

Table 1: Summary of Percentage of Model Exceedances

Percentage of Kerbside Points exceeding 40µg/m³	Model Scenarios		
	Base Run	Large LEZ	Small LEZ
All City	24%	12%	12%
In Large LEZ area	43%	10%	12%
In Small LEZ area	43%	8%	9%

# Predicted NO<sub>2</sub> Concentration Increases (when compared to 2019 Base Run)

- NO<sub>2</sub> concentration increases, when compared to Base Run, are shown in Figure 6 (these are just increases and may not necessarily be model exceedances)
- Location of particular interest is Palmerston Place/Chester Street where concentrations increase by around 9-12 µg/m³
- Other locations where concentrations increase (Southside/Holyrood/Moray Feu/Grove Street/Gardiner Crescent) are expected to be small (Note that modelling uncertainties may be larger than these small increases and can be considered to be insignificant)




Fig 6: Increases in NO<sub>2</sub> concentrations for Large LEZ compared to 2019 Base Run (right image is close up of West End)

- Figure 7 shows locations where predicted NO<sub>2</sub> increases for the Small LEZ, when compared to the Base Run. The largest increases are expected on the Southside (West Preston Street, Salisbury Road and Holyrood Park Road), which are around 1-4 μg/m³.
- Absolute NO<sub>2</sub> concentration increases for the Small LEZ are not as significant as the increase resulting from the Large LEZ. The majority (~90%) of increases are less than 1 μg/m³.




Fig 7: Increases in NO<sub>2</sub> concentrations for Small LEZ compared to 2019 Base Run

 For each LEZ case, ~10% of kerbside points that are 'in and within 500m of the Large LEZ' have increased concentrations, when compared to the Base Run. They are, however, in different locations and of different magnitudes

# Predicted NO<sub>2</sub> Concentration Increases which lead to New Model Exceedances (compared to 2019 Base Run)

- New model exceedances are predicted on Chester Street and Palmerston Place (Fig 8) for the Large LEZ at kerbside points where concentrations have increased up to 11 μg/m³ compared to the Base Run. Unfortunately, for technical reasons, actual concentrations are unknown, although Fig 4 shows they are between 40 and 55 μg/m³. **Note**: this is a slightly lower increase than reported in Fig 6 as points with larger concentration increases may be a model exceedance point in the Base Run.
- Some new model exceedance points are predicted on Abbeyhill, however the absolute concentration increases are small (~0.3 μg/m³), and model uncertainties are likely to be larger than this






Fig 8: Increases in NO<sub>2</sub> concentrations and new model exceedances for Large LEZ compared to 2019 Base Run

Predictions for the small LEZ show 3 points where new model exceedances may occur (Fig 9),
however it is important to note that predicted increases are small (~0.8µg/m³) and model uncertainties
are likely to be larger than this. There is also no significant cluster of points, unlike the Large LEZ
option, so the there is a low risk of creating areas with new model exceedances.




Fig 9: Increases in  $NO_2$  concentrations and new model exceedances for Small LEZ compared to 2019 Base Run

# The 2 LEZ options - what are the Trade-off's?

This section looks at the impact of selecting one LEZ area in preference to another. This modelling is based on 2019 fleet compositions

# 1. If Large LEZ is chosen in preference to the Small LEZ

This section shows the predicted impacts if a Large LEZ is chosen in preference to the Small LEZ



Fig 10: Points where higher NO<sub>2</sub> concentrations would occur




Fig 11: Points where higher NO2 concentrations and predicted model exceedances would occur



Fig 12: Points where higher NO2 concentrations and predicted model exceedances which wouldn't exist in the Small LEZ option had been selected



- Figure 10 shows points where higher NO<sub>2</sub> concentrations would occur than if the Large LEZ had been selected in preference to the Small LEZ.
- Higher concentrations are found on some roads within the Large LEZ and roads leading to the LEZ. These account for 41% of kerbside points 'In and Within 500m' of the Large LEZ area.
- Significantly higher concentrations are predicted on the western boundary of the Large LEZ (up to ~13 µg/m³ higher), when compared to the Small LEZ. However, most other kerbside points have small differences in concentrations compared to the Small LEZ option
- Some kerbside points where predicted NO<sub>2</sub> concentrations are higher when compared to the Small LEZ, are also predicted to be model exceedances. This accounts for 7% of kerbside points 'In and Within 500m' of the Large LEZ area.
- Significantly increased concentrations are predicted along Palmerston Place and Chester Street
  which lead to model exceedances which would not exist with Small LEZ (Fig 12). This is likely to be
  due to increased traffic flows of traffic which is dominated by non-compliant traffic (avoiding LEZ).
- Model exceedances are also predicted along Cowgate and Abbeyhill, however, concentrations are only slightly higher than Small LEZ option (Fig 11)

# 2. If Small LEZ is chosen in preference to the Large LEZ

• This section shows the predicted impacts if a Small LEZ is chosen in preference to the Large LEZ




Fig 13: Points where higher NO2 concentrations would occur



Fig 15: Points where higher NO2 concentrations and predicted model exceedances which wouldn't exist if the Large LEZ option had been selected



Fig 14: Points where higher NO2 concentrations and predicted model exceedances would occur



- Figure 13 shows points where higher NO<sub>2</sub> concentrations would occur than if the Small LEZ had been selected.
- Higher concentrations are found on some roads within the Large LEZ and roads leading to the LEZ.
   These account for 59% of points 'In and Within 500m' of the Large LEZ area.
- Significantly higher concentrations are predicted on the western boundary of the Small LEZ (up to ~12 µg/m³ higher), when compared to the Large LEZ. However, most other points have small differences in concentrations compared to the Large LEZ option
- Some points with higher NO<sub>2</sub> concentrations compared to the Large LEZ are also model exceedances. This accounts for 10% of points 'In and Within 500m' of the Large LEZ area.
- Significantly increased concentrations are predicted along Charlotte Square/Lothian Road/Earl Grey Street/West Approach Road which lead to model exceedances that would not exist with Large LEZ (Fig 15). This is likely to be due all traffic being allowed to travel along Lothian Road as it is not in the LEZ. It is important to note that when compared to the 2019 Base run (Fig 5), there is only a very small improvement in concentrations along these streets.
- Continued model exceedances are predicted along West Port/South Bridge/Leith Street (Fig 5 and Fig
   14), although concentrations are only slightly higher than Large LEZ option

# Summary of comparison between LEZ scenario options (2019 fleet)

Table 2: Summary table comparing the selection of one LEZ option over the other. The percentage refers to number of Kerbside points 'In and Within 500m of the Large LEZ. Kerbside points are located ~50m along the kerb of each road in the model

Kerbside Points In and Within 500m of Large LEZ area	Increased Concentrations (when compared to alternative LEZ)	Increased Concentrations and predicted model exceedances (when compared to alternative LEZ)	Increased Concentrations and predicted model exceedances (which would not exist in other LEZ scenario)
Large LEZ chosen over Small LEZ	41%	7%	3%
Small LEZ chosen over Large LEZ	59%	10%	2%

- Both LEZ options may result in model exceedances which may not exist if the alternative LEZ option had been selected
- Selecting the Small LEZ may lead to higher concentrations and number of model exceedances at more points across the area 'In and Within 500m of the Large LEZ' (10%) than the Large LEZ (7%)
- The selection of the Large LEZ may lead to more model exceedances which would not exist in the Small LEZ option (3%), than if the Small LEZ was selected in preference to the Large LEZ (2%).

# **Future Years Modelling**

# Base Model

- The traffic model and air quality model was run for 2023 predicted fleet composition. It is important to
  note that predicted fleet compositions are uncertain and in reality this represents a 'future scenario'
  which is likely to be post-2023.
- The 'do nothing' future scenario shows that, although air quality is expected to improve, model exceedances are still predicted (Fig 16 and Table 3)




Fig 16: Base, or 'do nothing', future scenario

Table 3: Comparison of 2019 (ANPR) and 2023 ('Future scenario')

Percentage of Points exceeding 40μg/m³	So	cenarios
40μg/m³	2019 ANPR	Future scenario ('2023')
All City	24%	3%
In Large LEZ area	43%	11%
In Small LEZ area	43%	11%

# Long Term Trade-Off's when selecting the Small or Large LEZ

# Large LEZ selected Hillside Calton EDINBURGH Color by: Max (4.31) P90.00 (3.92) P10.00 (1.78) Solution Parket Fountainbridge On Canal Color by: Max (4.31) P90.00 (3.92) P10.00 (1.78) Min (1.63)

Fig 17: Model exceedances which would not exist if the Small LEZ had been selected

# Small LEZ selected Hillside Abbeyhill Calton EDINBURGH Conongate West End Old Town Dumbledykes P90.00 (4.26) P10.00 (1.84) Min (1.57) Sciennes Sciennes

Fig 18: Model exceedances which would not exist if the Large LEZ had been selected

- Model predictions suggest that if the Large LEZ was selected in preference to the Small LEZ (Fig 17), the model exceedances on Chester Street/Palmerston Place would disappear for a 'future fleet' (as described earlier, the 2023 predicted fleet is used, though this is optimistic).
- As 2019 modelling shows no model exceedances on these roads when the Small LEZ is selected (Fig 5), and assuming that no model exceedances on these roads will exist in any post 2019 scenario for the Small LEZ option, then if there were to be any model exceedances on Chester Street/Palmerston Place, these would show up in Fig 17. This is likely to be due to more compliant vehicles on the road returning and fewer vehicles avoiding the LEZ.
- However, if the Small LEZ was selected (Fig 18), there would be a cluster of model exceedance points on Lothian Road/Princes Street which would not be seen if the Large LEZ had been selected. Both 2019 LEZ modelling scenario shows model exceedances on these streets (Figs 4 and 5), so this suggests these points would not be model exceedances in 'future years' if the Large LEZ had been selected. Therefore model exceedances may last for a longer into the future if the Small LEZ is selected. Although, traffic emissions will be lower in future years, on these streets non-compliant traffic is able to use the Lothian Road/Charlotte square corridor.

#### Notes:

- Modelling future years is uncertain, as the Department for Transport fleet composition predictions tend to be optimistic.
- There is a minor error in 2023 LEZ modelling as an incorrect taxi fleet composition was used and emissions were therefore underestimated
- Unfortunately, plots which show all model exceedances for the 'future scenario' are not available.

# Emissions Analysis for Low Emission Zones - Edinburgh



May 2021

# Main Points to Note

- Introducing a Low Emission Zone (LEZ) within Edinburgh City Centre will reduce NO<sub>x</sub> emissions from traffic sources, within either LEZ option, by 55% (equivalent to 25-30 tonnes/year), when compared to 2019 levels.
- For areas that are not in the LEZ, it is predicted that NO<sub>x</sub> emissions from traffic sources will
  decline by 15%, when compared to 2019 levels.
- Overall, NO<sub>x</sub> emissions across the model domain will decline by 20% (or 72 tonnes/year), when compared to 2019 levels.
- On several roads within the LEZ, NO<sub>x</sub> emissions are predicted to decline by over 50%. On Princes Street NO<sub>x</sub> emissions are predicted to decline by over 75%.
- The LEZ will force some non-complaint traffic to re-route around the LEZ boundary, increasing emissions on some of these roads by over 50%, when compared to 2019 levels.
- It is predicted that selecting the Large LEZ option would increase NO<sub>x</sub> emissions on Palmerston Place and Chester Street by 85% (compared to 2019 levels), which would generate new exceedances at kerbsides and may result in new exceedances of Air Quality Standards at receptors. However, these new exceedances may be short lived as the 'future' scenario predicts that as new LEZ compliant vehicles enter the fleet, fewer vehicles will be required to re-route, resulting in NO<sub>x</sub> emissions falling below 2019 levels. The large emission increases are a worst-case scenario, as the scheme will not be fully implemented and enforced until 2024, any emission increases will be lower than this. Further detailed air quality modelling work will be undertaken to assess potential compliance levels.
- Selecting the Small LEZ is unlikely to create new exceedances at kerbsides, though it is likely
  to slow down air quality improvements in the West End zone (between Lothian Road,
  Torphichen Street, Palmerston Place and Chester Street), and it may take longer to achieve
  compliance in these areas.

# Introduction and Background

Air quality monitoring and management activities in Scotland is primarily driven by the 2008 ambient air quality directive (2008/50/EC), which was incorporated into Scottish law through the Air Quality Standards (Scotland) Regulations 2010. At a local level, The Environment Act 1995 and Regulatory Reform (Scotland) Act 2014 sets out the Local Air Quality Management (LAQM) regime to assist Local Authorities in achieving air quality standards and objectives to protect human health.

The Cleaner Air for Scotland (CAFS) strategy, released in 2015, sets out how Scottish Government and its partner organisations propose to further reduce air pollution to protect human health and fulfil Scotland's legal responsibilities as soon as possible. The strategy includes commitments to ensure a consistent approach to the appraisal, design and implementation of Low Emission Zones (LEZ) through the application of the National Low Emission Framework (NLEF), in conjunction with the National Modelling Framework (NMF).

In September 2017, the Scottish Government's Programme for Government committed to the introduction of Low Emission Zones in Scotland's four biggest cities (Glasgow, Edinburgh, Aberdeen and Dundee) by 2020, with the first introduced in Glasgow in 2018. COVID-19 and the subsequent lock-down restrictions have temporarily paused the implementation of LEZ's and the Scottish Government have set a new timetable for LEZs to be introduced across all four cities between February and May 2022.

CAFS is currently under review, with an updated strategy (CAFS2) expected later in 2021. The initial findings of the review identified that Scotland was performing well on Air Quality, with the major pollutants continuing to fall as a result of actions taken to date. However, the review also recommended that Scotland must take a precautionary public health approach to air quality reductions.

The analysis presented here has been carried out in line with the NMF, which has the aim to deliver a detailed and consistent approach to urban air quality modelling. The methodology was developed during a pilot project in Aberdeen and has been peer reviewed.

The NMF methodology is based on using high quality and detailed traffic data to calculate vehicle emissions, appropriate meteorology and background concentration data. Models are built using the same software (ADMS Urban for dispersion modelling and EMIT for emissions calculations); consistent methods and model settings are used, where appropriate. Street geometry data (e.g. road layout, road width and building heights) are derived from the same sources. The results of the modelling are processed, visualised and reported in a consistent and informative way.

An earlier report (SEPA Air Quality Evidence Report – Edinburgh; November 2018) shows that the NMF Edinburgh model performs well when compared against observed air quality data, highlights how fleet composition changes can improve air quality on a city-wide basis and looks at source apportionment for different vehicle sectors.

An interim report (SEPA Air Modelling Results - Interim Presentation Summary) was issued by the Scottish Environment Protection Agency (SEPA) in April 2021 based on an interim data which was only available at that time due to the SEPA cyber-attack. This report focussed on how changes in traffic flow and fleet composition will change air quality concentrations due to the proposed introduction of both City Centre LEZ options.

# SEPA Cyber Attack – and the Alternative Approach Taken

On Christmas Eve, SEPA was subject to a serious and complex criminal cyber-attack that significantly impacted our internal systems and our Air Quality modelling capabilities.

As part of our recovery plan, SEPA implemented a phased rollout programme to restore critical services, re-establish critical communication systems to continue providing our priority regulatory, monitoring, flood forecasting and warning services. Our priority regulatory work programme included the delivery of our NMF obligations to assist in the final assessments of the LEZ options for each city.

Due to SEPAs inability to carry out Air Quality modelling, an alternative approach to allow for local authorities to report to committee in Spring 2021 was discussed at the LEZ Leadership Group meeting held on the 3<sup>rd</sup> of February 2021. The following steps were recommended by Scottish Government and SEPA on a way forward:

- Continuation of traffic modelling to define a small number of potential LEZ options or a preferred LEZ option for each city.
- SEPA to carry out emissions analysis on the traffic model outputs using the established NMF methodology. This will assess the impact of the LEZ by comparing traffic and emissions between the reference/base case and LEZ options.
- SEPA to continue detailed AQ modelling during the consultation phase over the summer of 2021 to support the local authorities in finalising the preferred LEZ scheme for Ministerial approval.

# Low Emission Zone options:

Within this document, the LEZ options are referred to as the 'Large LEZ' and 'Small LEZ':

• Large LEZ: This is the LEZ option which includes Morrison Street, Torphichen Street, Palmerston Place and Chester Street as the Western boundary (Figure 1).



Figure 1: Large Low Emission Zone option

• **Small LEZ**: This LEZ option has Lothian Road and Charlotte Square as the western boundary (Figure 2).



Figure 2: Small Low Emission Zone option

# Traffic Modelling:

The LEZ traffic modelling predicts traffic flows numbers and the percentage of traffic which is compliant with LEZ rules for each road in the air quality model, by implementing an LEZ to force traffic to re-route according to the LEZ rules.

The traffic modelling, carried out by Jacobs (Edinburgh Low Emission Zone Transport Modelling Report, Jacobs, February 2021), has been run for a 2019 and a 2023 scenario. The 2019 scenario is based on ANPR data collected in Edinburgh. The 2023 scenario represents a plausible 'future' scenario that is likely to occur later than 2023.

The traffic models incorporate committed future City Centre Transformation (CCT) plans for the LEZ scenarios, such as closing Bank Street to general traffic.

# Assumptions:

The analysis and results in this report assume all Taxis and Buses are LEZ compliant across the whole city. Emissions are calculated from 24-hour annual average flows.

#### **Emission Calculations:**

The EMIT software package, distributed by CERC, incorporates emission rates from the Emission Factor Toolkit, and has been used to calculate emission rates for  $NO_x$  and  $NO_2$ .

Emissions are calculated using fleet composition data (i.e. % of vehicles with a particular Euro Class), vehicle flow numbers and published emission factors. Emission rates (grams per kilometre per second or g/km/s) are used to compare emissions on each road, as this is a fair comparison between roads of different lengths.

# NO<sub>x</sub> and NO<sub>2</sub>

Nitrogen Oxides ( $NO_x$ ) is the sum of Nitrogen Dioxide ( $NO_2$ ) and Nitrogen Oxide ( $NO_3$ ). They chemically interact with each along with Ozone ( $O_3$ ) and sunlight.

Vehicles directly emit both NO and NO<sub>2</sub> (known as primary NO and primary NO<sub>2</sub>). When primary NO chemically reacts to for NO<sub>2</sub>, this is known as secondary NO<sub>2</sub>.

Due to this chemical interaction, there may not be a direct relationship between an increase in road traffic emissions and  $NO_2$  concentrations. We also need to consider background concentrations, which are due to emissions from other (non-traffic) sources, and which make up a significant percentage of total  $NO_2$  and  $NO_8$  concentrations.

Therefore, in this report we focus on total NO<sub>x</sub> emissions from traffic sources.

# Model Exceedances and Air Quality Standards:

This report refers to 'model exceedances' which are based on the predicted concentrations at kerbside points. This differs from the legal Air Quality Standards exceedances which refers to concentrations at relevant receptors. The Nitrogen Dioxide ( $NO_2$ ) 40 micrograms per metre cubed ( $\mu g/m^3$ ) threshold is used for both.

All NO<sub>2</sub> predictions used in the report are modelled and are from the detailed Edinburgh Air Quality model.

# NO<sub>x</sub> Emission Predictions (2019 Scenario)

- NO<sub>x</sub> Emission rates for 2019 were calculated for 3 scenarios:
  - Base (No LEZ or 'do nothing' approach)
  - Large LEZ option
  - o Small LEZ option
- An ANPR survey in 2019 provided comprehensive data on the vehicle fleet composition, which includes each vehicles Euro Class, so that compliance percentages can be calculated (Table 1). This is needed to calculate emission rates.

Table 1:LEZ Compliance (%) for each Vehicle Class (2019 Edinburgh Fleet from ANPR)

Vehicle Class	Compliant (%)	Non-compliant (%)
Car (Diesel)	42.6	57.4
Car (Petrol)	88.4	11.6
LGV	41.2	58.8
HGV	64.4	35.6

- Traffic flow data from the detailed Edinburgh 2016 traffic survey has been used (this is to maintain consistency with the Jacobs traffic model which uses this data).
- The Emission Rate colour scheme is:
  - o Black: Highest emissions rates (> 0.15 g/km/s).
  - o Red: Mid-level emission rates between 0.08 0.15 g/km/s.
  - o Blue: Low emission rates (< 0.08 g/km/s).
- It is important to note that high emission rates do not necessarily correspond to high NO<sub>2</sub> concentrations, as this also depends on the dispersion characteristics for each road (e.g. buildings and street canyons).

# All Roads in Model

Base Scenario Emissions Rates are shown in Figure 3 and Figure 9. This shows roads with the
highest emission rates are on Princes Street, Lothian Road, Bridges, Leith Street, London
Road, Queensferry Road and St John's Road/Glasgow Road.



Figure 3: Base NO<sub>x</sub> Emission Rates 2019 (g/km/s)



Figure 4: Large LEZ Option (with CCT) NO<sub>x</sub> Emission Rates 2019 (g/km/s)



Color by:

0.15 - 0.40

0.08 - 0.15

Min (0.00) - 0.08



Figure 5: Small LEZ Option (with CCT)  $NO_x$  Emission Rates 2019 (g/km/s)

- A comparison of predicted emission rates across the whole city for both the Large LEZ option (Figure 4) and Small LEZ option (Figure 5) shows that emissions rates are predicted to decline for both LEZ options in many areas across the city.
- There are wider benefits to air quality across the city as a result of a City Centre LEZ (e.g.
  emission reductions in Corstorphine, Gorgie, Bruntsfield, Newington, London Road and
  Leith). This is due to all buses and taxis becoming compliant with LEZ rules over the
  whole city.
- Emission Rates can also be viewed on a histogram (Figure 6 Figure 8), which shows the ranking of emission rates for each road section in the model. For both LEZ options, the number of roads coloured black (> 0.15 g/km/s) is significantly lower than the Base Scenario.
- The Large LEZ has a slightly fewer number of roads with a high emission rate (those coloured black).
- The magnitude of predicted emission rates generally declines over the whole city as a result of the introduction of both LEZ options, though there are some roads where emission rates increase (e.g. Large LEZ option: Palmerston Place and Chester Street).




Figure 6: Base NO<sub>x</sub> Emission Rates histogram 2019 (g/km/s)




Figure 7: Large LEZ (with CCT) Option NO<sub>x</sub> Emissions Rates histogram 2019 (g/km/s)




Figure 8: Small LEZ (with CCT) Option NOx Emission Rates histogram 2019 (g/km/s)

- Total NO<sub>x</sub> emissions are predicted to decline by around 55% within the LEZ boundaries. For roads not in the LEZ, total NO<sub>x</sub> emissions are predicted to decline by around 15%.
- In the West End Zone (this is the area which is within the Large LEZ, but not the Small LEZ), emission reductions would be:
  - Small LEZ option (LEZ rules do not apply): 32%
  - Large LEZ option (LEZ rules apply): 49%
  - This is the equivalent of 2 tonnes/year fewer NO<sub>x</sub> emissions in the West End
     Zone if the Large LEZ option is selected in preference to the Small LEZ option.
- However, it is important to look at the area in and around the LEZ boundaries in more detail, where the Jacobs report indicates that there is traffic displacement due to the LEZ.

# City Centre (around the proposed LEZ's)

- Emission rates in the city centre for the Base Run and both LEZ options are shown in more detail in Figure 9 Figure 11.
- This shows that the introduction of Large or Small LEZ will significantly reduce NO<sub>x</sub> emissions in the respective LEZ areas when compared to the Base scenario (Figure 9).
- Increased emissions rates are predicted on some roads around the LEZ boundary due to the displacement of traffic. This is particularly significant for the Large LEZ option on Chester Street and Palmerston Place.
- Roads where increased emissions rates are predicted to increase will be analysed in more detail later in this report.




Figure 9: Base NO<sub>x</sub> Emissions Rates 2019; g/km/s (Yellow Zone is Large LEZ)




Figure 10: Large LEZ Option (with CCT) NO<sub>x</sub> Emission Rates 2019 (g/km/s) (Yellow Zone is Large LEZ)



Figure 11: Small LEZ Option (with CCT)  $NO_x$  Emission Rates 2019 (g/km/s) (Yellow Zone is Small LEZ)



# Emission Differences between Base and LEZ Options (2019)

#### Base v Large LEZ

- Ratios of emission differences between the Base and Large LEZ option are shown in Figure
  12. This shows emissions declining within the Large LEZ area (except New Street and Walker
  Street where emission rates are low).
- NO<sub>x</sub> emission rate reductions of over 50% are predicted on several roads (Princes Street, Leith Street and Bridges/Clerk Street). Emission rates on Princes Street are predicted to be over 75% lower than Base 2019 levels.
- NO<sub>x</sub> emission rate increases are predicted on several roads around the Large LEZ boundary.
   The largest percentage increases (>50%) are Chester Street, Palmerston Place, Gardiner's Crescent and Grove Street.
- It is important to note that on some roads, while there may be a large percentage increase, the actual emission rate may remain low.




Figure 12: Ratio of  $NO_x$  Emission Rate changes (2019) due to introduction of Large LEZ. Black is largest % increase in emissions (> 50%)

#### Base v Small LEZ

- Ratios of emissions differences between the Base and Small LEZ option are shown in Figure 13. This shows emissions falling within the LEZ (except New Street and the east section of George Street).
- Like the Large LEZ, NO<sub>x</sub> emission reductions of over 50% are predicted on several roads, including Princes Street, Leith Street and Bridges/Clerk Street. Emission rates on Princes Street are predicted to be over 75% lower than 2019 levels.
- Also like the Large LEZ, emission increases are predicted on several roads around the Small LEZ boundary. The largest percentage increases (43%) are on Salisbury Place, West Preston Street and Melville Street, however NO<sub>x</sub> emission rates are and will remain low on these roads.



Figure 13: Ratio of  $NO_x$  Emission Rate changes (2019) due to introduction of Small LEZ. Red are roads where there is a % increase in emissions

# NO<sub>x</sub> Emission Predictions (2023 'future' Scenario)

- As for the 2019 scenario, NO<sub>x</sub> emission rates for the 2023 'future' scenario were calculated for 3 options:
  - No LEZ or 'do nothing' approach
  - o Large LEZ option
  - o Small LEZ option
- Predicting future traffic fleet compositions is subject to many uncertainties. The predicted 2023 National Fleet composition (published by the Department for Transport (DfT)) has been used to represent a 'future' scenario for this analysis.
- It has been shown that the DfT National Fleet predictions tend to be optimistic, so it is likely that the published 2023 scenario will occur post-2023, therefore it is called a 'future' scenario. The compliance percentages in the published 2023 scenario are in Table 2. This is needed to calculate emission rates.

Table 2: LEZ Compliance (%) for each Vehicle Class (2023DfT National Fleet)

Vehicle Class	Compliant (%)	Non-compliant (%)
Car (Diesel)	78.1	21.9
Car (Petrol)	99.6	0.4
LGV	81.6	18.4
HGV	91.6	8.4

- Traffic flow data from the 2016 traffic survey is used (this is to maintain consistency with the Jacobs traffic modelling).
- The Emission Rate colour scheme is:
  - o Black: Highest emissions rates (> 0.15 g/km/s).
  - o Red: Emission rates between 0.08 0.15 g/km/s.
  - o Blue: Low emission rates (< 0.08 g/km/s).
- It is important to note that high emission rates do not necessarily correspond to high concentrations as this depends on the dispersion characteristics for each road (e.g. buildings and street canyons).

#### All Roads in Model

Base Scenario NO<sub>x</sub> Emissions Rates (2023) are shown in Figure 14 and Figure 20. This shows roads with the highest emission rates are Princes Street (West End), Leith Street, Queensferry Road and Glasgow Road. When compared to the Base 2019 Scenario (Figure 3), NO<sub>x</sub> emissions are predicted to be lower, which is due to lower emitting vehicles entering the fleet.




Figure 14: Base NO<sub>x</sub> Emission Rates 2023 (g/km/s)

- It is useful to compare emissions across the whole city for both Large LEZ (Figure 15) and Small LEZ (Figure 16) options. This shows that emissions are predicted to fall for both LEZ options across the city, particularly Queensferry Road, Ferry Road, North/South Bridge and London Road.
- There are also benefits to air quality across the city as a result of the LEZ in the 2023 'future' scenario. The Jacobs LEZ traffic model report notes that traffic displacement around the LEZ will still occur, but will be less than the 2019 scenario.



Figure 15: Large LEZ Option (with CCT)  $NO_x$  Emission Rates 2023 (g/km/s)



Figure 16: Small LEZ Option (with CCT) NO<sub>x</sub> Emission Rates 2023 (g/km/s)

NO<sub>x</sub> Emission Rates for each road section are shown as a histogram (Figure 17 - Figure 19). For both LEZ options, the number of roads coloured black and red is significantly lower than for the Base 2023 'future' scenario. This shows that the LEZ will still be effective in future years at reducing NO<sub>x</sub> emissions across the city.




Figure 19: Small LEZ Option (with CCT) NO<sub>x</sub> Emission Rates 2023 (g/km/s)

# City Centre (around the proposed LEZ's)

 NO<sub>x</sub> emission rates for roads in and around the proposed LEZ boundaries can be viewed in more detail in Figure 20, Figure 21 and Figure 22. This shows that in the 2023 'future' scenario, an LEZ will continue to have a positive effect on reducing emissions for both LEZ options when compared to the Base 2023 Scenario (Figure 20).



Figure 20: Base  $NO_x$  Emission Rates 2023 (g/km/s) (Yellow Zone is Large LEZ)



Figure 21: Large LEZ Option (with CCT)  $NO_x$  Emission Rates 2023 (g/km/s)s (Yellow Zone is Large LEZ)



Figure 22: Small LEZ Option (with CCT)  $NO_x$  Emission Rates 2023 (g/km/s) (Yellow Zone is Small LEZ)



# NOx Emission Comparison between Base and LEZ Options (2023)

- Comparison of NO<sub>x</sub> emissions for the 2023 'future' scenario is also useful.
- Ratios of emissions between the Base and each LEZ option are shown in Figure 23 and Figure 24. This shows emissions falling within most of the LEZ. On some roads, NO<sub>x</sub> emission rates are predicted to increase, however, these are small increases and emission rates will remain low. These increases are likely to be due to CCT changes (e.g. closure of the Mound resulting in traffic displacement).

# Large LEZ

- Emission reductions of over 50% are predicted on several roads, including Princes Street, Shandwick Place, Mound and George IV Bridge. These roads have high emission rates so this represents a significant reduction in emissions. Emission rates on Princes Street are predicted to be over 50% lower than Base 2023 levels.
- Emission increases are predicted on several roads around the Large LEZ boundary; the largest percentage increases (>50%) are Chester Street, Palmerston Place, Gardiner's Crescent and Grove Street, though in most cases, the emission rates on these roads will remain low.




Figure 23: Ratio of Emission Changes (2023) due to introduction of Large LEZ. Black is largest % increase in emissions (> 50%)

#### Small LEZ

- NO<sub>x</sub> Emission reductions of over 50% are predicted on several roads, including Princes Street, Mound and George IV Bridge.
- Small NO<sub>x</sub> emissions increases are predicted on several roads around the Small LEZ boundary, including Queen Street (between Charlotte Square and Dundas Street), Charlotte Square (East side), Melville Drive, Horse Wynd and West Preston Street.

# OFFICIAL – BUSINESS




Figure 24: Ratio of Emission Changes (2023) due to introduction of Small LEZ.

# Detailed Analysis in Key Areas

#### Palmerston Place/Chester Street

- Palmerston Place and Chester Street are 2 streets where the Jacobs traffic modelling report indicates that would be significant displacement of traffic to avoid the Large LEZ.
- Ranking histograms (Figure 25 Figure 30) show the distribution of NO<sub>x</sub> emission rates for each road in the city, with Chester Street and Palmerston Place highlighted. This shows emission rates on these roads significantly move up the emission rate rankings with increased emission rates.
- Relative changes in emissions for Chester Street and Palmerston Place, when compared to the Base 2019 scenario can be seen in Figure 31 and Figure 32 respectively.
- 2019 Large LEZ option:
  - NO<sub>x</sub> emission rates are predicted to increase by around 85% for Palmerston Place and Chester Street
  - $\circ$  Air Quality modelling predicts NO<sub>2</sub> concentrations which will result in new model exceedances (Chester Street: from ~36 μg m<sup>-3</sup> to ~45 μg m<sup>-3</sup>; Palmerston Place: from ~39 μg m<sup>-3</sup> to ~49 μg m<sup>-3</sup>).
  - Emission rate increases are due to a combination of increased traffic flows and an increase in non-compliant (higher emitting) vehicles.
- 2019 Small LEZ option:
  - o NO<sub>x</sub> emission rates are predicted to increase by a comparatively smaller 6%,
  - Air Quality modelling predicts a negligible change to NO<sub>2</sub> concentrations.
- 2023 Large LEZ 'future' option:
  - $\circ$  NO<sub>x</sub> emission rates are predicted to be 5-8% higher when compared to the Base 2023 scenario.
  - When compared to the Base 2019 scenario, emission rates are predicted to decline by 4% and 2.7% for Palmerston Place and Chester Street respectively. This is due to a higher percentage of vehicle being LEZ compliant, and so fewer vehicles will need to divert around the Large LEZ boundary.
  - $\circ$  Air Quality modelling predicts NO<sub>2</sub> concentrations of around 34 μg m<sup>-3</sup> (which is around 2-3 μg m<sup>-3</sup> lower than current levels).
- 2023 Small LEZ 'future' option:
  - o NO<sub>x</sub> emission rates are predicted to decrease by 32%
  - $\circ$  Air Quality modelling predicts NO<sub>2</sub> concentrations of around 30 μg m<sup>-3</sup> (which is around 5-6 μg m<sup>-3</sup> lower than current levels).
- For the Large LEZ option, although increased NO<sub>2</sub> concentrations and new model
  exceedances are predicted, these are expected to be short lived. This is because as newer,
  lower emitting vehicles enter the fleet, the overall percentage of compliant traffic will
  increase in future years, and hence fewer vehicles will be required to avoid the LEZ.
- Model exceedances (kerbside concentrations) are worst case and further air quality modelling will be carried out for these streets to assess the risk at building façades.

#### **OFFICIAL – BUSINESS**




Figure 25: Base Run (2019) Emission Rates ranked for each road, showing Chester Street and Palmerston Place highlighted



Figure 27: Large LEZ option (2019) Emission Rates ranked for each road, showing Chester Street and Palmerston Place highlighted




Figure 29: Small LEZ option (2019) Emission Rates ranked for each road, showing Chester Street and Palmerston Place highlighted




Figure 26: Base Run (2023) Emission Rates ranked for each road, showing Chester Street and Palmerston Place highlighted



Figure 28: Large LEZ option (2023) Emission Rates ranked for each road, showing Chester Street and Palmerston Place highlighted



Figure 30: Small LEZ option (2023) Emission Rates ranked for each road, showing Chester Street and Palmerston Place highlighted




Figure 31: Relative Changes in Emission Rates (Chester Street) compared to Base 2019 Scenario




Figure 32: Relative Changes in Emission Rates (Palmerston Place) compared to Base 2019 Scenario.

#### Grove Street/Gardiner's Crescent

 Grove Street and Gardiner's Crescent are 2 streets where traffic modelling predicts vehicle flows will increase if the Large LEZ is selected, due to non-compliant vehicles re-routing to avoid it.

# • 2019 Large LEZ option:

- NO<sub>x</sub> emission rates for the 2019 Large LEZ option are predicted to increase by 99% on Gardiner's Crescent, and 65% on Grove Street (Figure 35).
- NO<sub>x</sub> emission rates are low in the Base (Figure 9, Figure 33) are predicted to remain low if the Large LEZ is selected (Figure 10, Figure 34).
- O Air Quality modelling predicts NO<sub>2</sub> concentrations will increase on both roads, no new model exceedances are predicted (Gardiner's Crescent: From ~32 μg m<sup>-3</sup> to ~36 μg m-3; Grove Street: From ~31 μg m<sup>-3</sup> to ~33 μg m<sup>-3</sup>).



Figure 33: Base (2019) Emission Rates ranked for each road, showing Gardiner's Crescent and Grove Street highlighted




Figure 34: Large LEZ option (2019) Emission Rates ranked for each road, showing Gardiner's Crescent and Grove Street highlighted

#### 2019 Small LEZ option:

- $\circ$  NO<sub>x</sub> emission rates for the 2019 Large LEZ option are predicted to increase by 28% on Gardiner's Crescent, and 4% on Grove Street.
- Air Quality modelling predicts NO<sub>2</sub> concentrations increase will be negligible and no new model exceedances are predicted.

#### • 2023 'future' LEZ options:

- $\circ$  NO<sub>x</sub> emissions on Grove Street are predicted to decline for the Base and both LEZ options by 15 35% when compared to the Base 2019 scenario.
- NO<sub>x</sub> emission rates on Gardiner's Crescent are predicted to increase by 5% for the Small LEZ option when compared to the Base 2019 scenario.
- $\circ$  Air Quality modelling for both streets predicts NO<sub>2</sub> concentrations of around 27 μg m<sup>-3</sup> (which is around 4 μg m<sup>-3</sup> lower than current levels) for both LEZ options.

#### **OFFICIAL – BUSINESS**

o For the 2023 'future' scenario, no new model exceedances are expected.




Figure 35: Relative Changes in Emission Rates (Grove Street) compared to Base 2019 Scenario.




Figure 36: Relative Changes in Emission Rates (Gardiner's Crescent) compared to Base 2019 Scenario.

# Detailed Analysis within the LEZ Boundary

#### **Princes Street**

- The introduction of either LEZ option will significantly reduce emission rates on Princes Street compared to the respective Base Scenarios.
- NO<sub>x</sub> emission rates are predicted to decrease by 76% if either LEZ option is selected (Figure 37). No difference is expected between 2019 and 2023 scenarios as this street is dominated by buses that will be compliant with LEZ rules.
- Air Quality modelling predicts that  $NO_2$  concentrations are predicted to fall to around 30  $\mu$ g m<sup>-3</sup> and therefore model exceedances will be no longer exist.



Figure 37: Relative Changes in Emission Rates (Princes Street) compared to Base 2019 Scenario.

#### South Bridge

- The introduction of either LEZ option will significantly reduce emission rates on South Bridge compared to the respective Base Scenarios.
- 2019 LEZ options:
  - $\circ$  NO<sub>x</sub> emission rates are predicted to decrease by 56% if either LEZ option is selected (Figure 38).
  - $\circ$  Air Quality Modelling predicts that NO<sub>2</sub> concentrations will decline by around 16  $\mu$ g m<sup>-3</sup> to between 38 and 45  $\mu$ g m<sup>-3</sup>. Air quality model exceedances are predicted to remain.
- 2023 'future' LEZ options:
  - $\circ$  NO<sub>x</sub> emission rates are predicted to decrease by 64% (when compared to 2019 levels) if the either LEZ option is selected (Figure 38).
  - $\circ$  Air Quality Modelling predicts that NO $_2$  concentrations will decline by around 21  $\mu g$   $m^{\text{--}3}$  (compared to 2019 levels) to between 36 and 39  $\mu g$   $m^{\text{--}3}$  and therefore model exceedances will be no longer exist.



Figure 38: Relative Changes in Emission Rates (South Bridge) compared to Base 2019 Scenario.

#### Leith Street

- The introduction of either LEZ option will significantly reduce emission rates on Leith Street compared to the respective Base Scenarios.
- 2019 LEZ options:
  - $\circ$  NO<sub>x</sub> emission rates are predicted to decrease by 55% if the either LEZ option is selected (Figure 39).
  - $\circ$  Air Quality modelling predicts that NO<sub>2</sub> concentrations would decline by around 12  $\mu g \ m^{-3}$  to around 39-41  $\mu g \ m^{-3}$ . It is expected that some (though perhaps not all) model exceedances will no longer exist.
- 2023 'future' LEZ options:
  - NO<sub>x</sub> emission rates are predicted to decrease by 62% (when compared to 2019 levels) if either LEZ option is selected (Figure 39).
  - $\circ$  Air Quality Modelling predicts that NO<sub>2</sub> concentrations will decline by around 17 μg m<sup>-3</sup> (compared to 2019 levels) to between 34 and 39 μg m<sup>-3</sup> and therefore model exceedances will be no longer exist.




Figure 39: Relative Changes in Emission Rates (Leith Street) compared to Base 2019 Scenario.

#### West Port/Grassmarket/Cowgate

- The introduction of either LEZ option will reduce emission rates on West Port and Cowgate compared to the respective Base Scenarios. This route has few buses and is dominated by other vehicle types.
- 2019 LEZ options:
  - NO<sub>x</sub> emission rates are predicted to decrease by 40% on West Port/Grassmarket and
     30% on Cowgate if the either LEZ option is selected (Figure 40, Figure 41).
  - O Air Quality modelling predicts that  $NO_2$  concentrations would decline by around 15  $\mu$ g m<sup>-3</sup> on West Port and 12  $\mu$ g m<sup>-3</sup> on Cowgate. However, due to the deep canyons and poor dispersion on these roads, model exceedances are still predicted (concentrations would be around 45  $\mu$ g m<sup>-3</sup>).
- 2023 'future' LEZ options:
  - NO<sub>x</sub> emission rates are predicted to decrease by 47% (when compared to 2019 levels) if the either LEZ option is selected (Figure 40, Figure 41).
  - O Air Quality modelling predicts that  $NO_2$  concentrations would decline by around 20  $\mu g \ m^{-3}$  on West Port and 18  $\mu g \ m^{-3}$  on Cowgate. However, due to the deep canyons and poor dispersion on these roads, model exceedances are still predicted on Cowgate (concentrations would be around 41  $\mu g \ m^{-3}$ ). On West Port, predicted concentrations are around 39.9  $\mu g \ m^{-3}$ , so although model exceedances will no longer exist, it is very close to the 40  $\mu g \ m^{-3}$  threshold.

## **OFFICIAL – BUSINESS**




Figure 40: Relative Changes in Emission Rates (West Port) compared to Base 2019 Scenario.




Figure 41: Relative Changes in Emission Rates (Cowgate) compared to Base 2019 Scenario.

# Detailed Analysis around the LEZ Boundary

Queen Street (between Frederick Street and Charlotte Square)

- The introduction of either LEZ option will have a small effect on emission rates on Queen Street compared to the respective Base Scenarios.
- 2019 Large LEZ option:
  - NO<sub>x</sub> emission rates are predicted to decline by 7% if the Large LEZ is selected (Figure 42).
  - $\circ$  Air Quality modelling predicts NO $_2$  concentrations are expected to decline by around 3  $\mu g \ m^{\text{-}3}$ . On the section between Frederick Street and Charlotte Square, NO $_2$  concentrations are predicted to remain above 40  $\mu g \ m^{\text{-}3}$  and model exceedances will remain.

## • 2019 Small LEZ option:

- $\circ$  NO<sub>x</sub> emission rates are predicted to increase by 7% if the Small LEZ is selected (Figure 42).
- O Air Quality modelling predicts  $NO_2$  concentrations are expected to increase by around 1  $\mu g$  m<sup>-3</sup>. On the section between Frederick Street and Charlotte Square,  $NO_2$  concentrations are predicted to remain above 40  $\mu g$  m<sup>-3</sup> and model exceedances will remain.

# • 2023 'future' LEZ options:

- NO<sub>x</sub> emission rates are expected to decline by around 40% for all scenarios when compared to the Base 2019 scenario, which will be due to fleet turnover.
- Air Quality Modelling predicts that  $NO_2$  concentrations will decline (Large LEZ option by around 12 μg m<sup>-3</sup>; Small LEZ option by around 10 μg m<sup>-3</sup>) when compared to 2019 levels) to between 34 and 39 μg m<sup>-3</sup>.
- On Albyn Place, predicted concentrations are likely to remain just above 40 μg m<sup>-3</sup> for both LEZ options (Large LEZ option: 41 μg m<sup>-3</sup>; Small LEZ option: 43 μg m<sup>-3</sup>), therefore model exceedances will remain




Figure 42: Relative Changes in Emission Rates (Queen Street) compared to Base 2019 Scenario.

#### Abbeyhill

- The introduction of either LEZ option is predicted to slightly increase emission rates on Abbeyhill compared to the Base Scenario.
- 2019 LEZ options:
  - NO<sub>x</sub> emission rates are predicted to increase by 10% if the Large LEZ is selected and increase by 4% of the Small LEZ is selected (Figure 43).
  - Air Quality modelling predicts NO<sub>2</sub> concentrations would increase slightly (~ 1 μg m<sup>-</sup>
     3) for both LEZ options. Current air quality modelling predicts concentrations at kerbside points to be around 40 μg m<sup>-3</sup> threshold. A small increase in emissions may

result in some new model exceedances. Further detailed modelling will be carried out to predict concentrations at building façades.

#### • 2023 'future' LEZ options:

- NO<sub>x</sub> emission rates are expected to decline by between 33% and 40% for all scenarios when compared to the Base 2019 scenario. The variation suggests that there will still be some traffic displacement if the Large LEZ option is selected as emission rates are not falling as fast as the Base 2023 scenario.
- $\circ$  Air Quality Modelling predicts that NO<sub>2</sub> concentrations will decline by around 5 µg  $\,$  m $^{\!-3}$  (compared to 2019 levels) to around 34 µg m $^{\!-3}$  and therefore model exceedances will be no longer exist.




Figure 43: Relative Changes in Emission Rates (Abbeyhill) compared to Base 2019 Scenario.

#### West Preston Street

• The introduction of either LEZ option will increase emission rates on West Preston Street compared to the 2019 Base scenario.

# • 2019 LEZ options:

- $\circ$  NO<sub>x</sub> emission rates are predicted to significantly increase by 37% if the Large LEZ is selected and by 40% of the Small LEZ is selected (Figure 44).
- The ranking histograms in Figure 45 Figure 47 show that the emission rates for the LEZ options will remain low.
- o Air Quality modelling predicts  $NO_2$  concentrations are expected to increase from 33  $\mu g \ m^{-3}$  to 37  $\mu g \ m^{-3}$  for both LEZ options. This is predicted to be below the 40  $\mu g \ m^{-3}$  threshold, therefore no new model exceedances are predicted.

#### • 2023 'future' LEZ options:

- NO<sub>x</sub> emission rates are expected to decline by 26% for either LEZ option and by 35% for the Base 2023 scenario, when compared to the Base 2019 scenario. The variation suggests that there will still be some traffic displacement if the Large LEZ is selected as emissions are not falling as fast as the Base 2023 scenario.
- O Air Quality Modelling predicts that  $NO_2$  concentrations will decline by around 3 μg m<sup>-3</sup> (compared to 2019 levels) to around 30 μg m<sup>-3</sup> and therefore model exceedances will be no longer exist.

#### **OFFICIAL - BUSINESS**



Figure 44: Relative Changes in Emission Rates (West Preston Street) compared to Base 2019 Scenario.



Figure 45: Base Scenario (2019) Emission Rates ranked for each road, showing West

Preston Street highlighted




Figure 46: Large LEZ option (2019) Emission Rates ranked for each road, showing
West Preston Street highlighted




Figure 47: Small LEZ option (2019) Emission Rates ranked for each road, showing
West Preston Street highlighted

#### Melville Drive (Meadows)

- The introduction of either LEZ option will slightly increase emission rates on Melville Drive compared to the 2019 Base scenario.
- 2019 LEZ options:
  - $\circ$  NO<sub>x</sub> emission rates are predicted to slightly increase by 0.7% if the Large LEZ is selected and increase by 5.5% of the Small LEZ is selected (Figure 48).
  - $\circ$  Air Quality modelling predicts negligible increases of NO<sub>2</sub> concentrations; they are currently around 33  $\mu$ g m<sup>-3</sup> and so no new exceedances are predicted.
- 2023 'future' LEZ options:

- NO<sub>x</sub> emission rates are expected to decline by around 35% for all scenarios when compared to the Base 2019 scenario.
- As emission changes between the LEZ options and Base scenario for the relevant year are very small, the effect on air quality due to LEZ traffic displacement is negligible.




Figure 48: Relative Changes in Emission Rates (Melville Drive) compared to Base 2019 Scenario.

# Lothian Road (between West Approach Road and Lothian Road)

- Lothian Road is within the Large LEZ option (all traffic will be compliant), but not in the Small LEZ option (where non-compliant traffic can continue to use this road).
- The introduction of either LEZ option will reduce emissions on Lothian Road compared to the 2019 Base run.
- 2019 LEZ options:
  - $\circ$  NO<sub>x</sub> emission rates are predicted to decline by 47% if the Large LEZ is selected and by 28% of the Small LEZ is selected.
  - Although non-compliant traffic being able to use Lothian Road for the Small LEZ option, the large reduction in emissions is due to a large number of buses and taxis on this road which will have become compliant with LEZ rules.
  - Despite large emission reductions, model air quality exceedances are predicted to remain for both LEZ options, though the Large LEZ would have a greater impact on improving air quality. Air Quality modelling predictions for NO<sub>2</sub> concentrations are:
    - Base 2019: 60-70 µg m<sup>-3</sup>
    - Large LEZ option: 45-55 μg m<sup>-3</sup>
    - Small LEZ option: 55-65 μg m<sup>-3</sup>
- 2023 'future' LEZ options
  - o NO<sub>x</sub> emission rates are expected to decline by (when compared to Base 2019 levels):
    - Base 2023: 44%
    - Large LEZ option: 60%
    - Small LEZ option: 52%
  - Air Quality modelling predictions for NO₂ concentrations are:
    - Large LEZ option: 35-45 μg m<sup>-3</sup>
    - Small LEZ option: 43-50 μg m<sup>-3</sup>
  - Model exceedances are still predicted, however concentrations are around 5 μg m<sup>-3</sup> lower on Lothian Road if the Large LEZ option is selected in preference to the Small LEZ option




Figure 49: Relative Changes in Emission Rates (Lothian Road) compared to Base 2019 Scenario.

### North Charlotte Street

- North Charlotte Street is within the Large LEZ (all traffic will be compliant), but not in the Small LEZ (where non-compliant traffic can continue to use this road).
- 2019 LEZ options:
- If the Large LEZ option is selected, NO<sub>x</sub> emission rates are predicted to decline (Figure 50), however if the Small LEZ option is selected, NO<sub>x</sub> emissions are predicted to increase.
  - o Predicted NO<sub>x</sub> emission changes:
    - Large LEZ option: NO<sub>x</sub> emission rates decline by 31%
    - Small LEZ option: NO<sub>x</sub> emissions rates increase by 14%
  - $\circ$  NO<sub>x</sub> emission rates are predicted to increase for the Small LEZ as there are very few buses on this road (all buses becoming compliant accounts for emission reduction on Lothian Road)
  - Air Quality modelling predicts NO<sub>2</sub> concentrations are slightly increase for the Small LEZ option, but decline for the Large LEZ option. Predicted NO<sub>2</sub> concentrations are:
    - Base 2019: 40 μg m<sup>-3</sup>
    - Large LEZ: 33 μg m<sup>-3</sup>
    - Small LEZ: 41 μg m<sup>-3</sup>
- 2023 'future' LEZ options:
  - NO<sub>x</sub> emissions are predicted to decline for all options, however the Large LEZ option will still have an impact on reducing emissions on this road in the future.
  - $\circ$  Air Quality Modelling predicts that NO<sub>2</sub> concentrations will decline by around 7-10 μg m<sup>-3</sup> (compared to 2019 levels) to around 30 μg m<sup>-3</sup> and therefore model exceedances will be no longer exist.




Figure 50: Relative Changes in Emission Rates (North Charlotte Street) compared to Base 2019 Scenario.

# Detailed Analysis in other AQMA's

#### St John's Road

- St John's Road is part of the Corstorphine AQMA.
- 2019 LEZ options:
  - $\circ$  NO<sub>x</sub> emission rates are predicted to decline by 24% for both LEZ options (Figure 51). This is likely to be due to buses and taxis moving to full compliance so they can operate within the city centre LEZ regardless of whether this is the Large or Small LEZ.
  - $\circ$  Air Quality modelling predicts NO<sub>2</sub> model concentrations will decline from 53 μg m<sup>-3</sup> to 48 μg m<sup>-3</sup>, so model exceedances are expected to remain.
- 2023 'future' LEZ options:
  - $\circ$  NO<sub>x</sub> emission rates are predicted to decline by 40% for the Base 2023 scenario and by around 48% for both LEZ options.
  - $\circ$  Air Quality Modelling predicts that NO<sub>2</sub> concentrations will decline by around 10-15  $\mu g \ m^{-3}$  (compared to 2019 levels) to around 30  $\mu g \ m^{-3}$  on most of St John's Road and therefore, model exceedances at most locations are expected to no longer exist.
  - $\circ$  However, predicted concentrations on the section between Kirk Loan and Clermiston Road are expected to remain just above 40  $\mu g\ m^{\text{-}3}$  and model exceedances remain there.




Figure 51: Relative Changes in Emission Rates (St Johns Road) compared to Base 2019 Scenario.

#### Ferry Road (by Inverleith Row)

- This street is in part of the Inverleith AQMA.
- 2019 LEZ options:
  - NO<sub>x</sub> emission rates are predicted to decline by 7-8% for both LEZ options when compared to the Base 2019 scenario (Figure 52). This is likely to be due to buses and taxis moving to full compliance so they can operate within the city centre LEZ, regardless of whether this is the Large or Small LEZ.
  - O Air Quality modelling predicts  $NO_2$  concentrations decline slightly (by around 1  $\mu$ g m<sup>-3</sup>) for both LEZ options. Current air quality modelling predicts concentrations at kerbside points to be around the 40  $\mu$ g m<sup>-3</sup> threshold. A small reduction in emissions may not remove all model exceedances (note that monitored data shows no exceedances since 2018). Further detailed modelling will be carried out to predict concentrations at building façades.
- 2023 'future' LEZ options:
  - NO<sub>x</sub> emissions are predicted to decline significantly by 40-43% for the 2023 scenarios.

 $\circ~$  Air Quality Modelling predicts that NO $_2$  concentrations will decline by around 10  $\mu g$   $m^{\text{-}3}$  (compared to 2019 levels) to between 30 and 34  $\mu g$   $m^{\text{-}3}$  and therefore model exceedances will be no longer exist.




Figure 52: Relative Changes in Emission Rates (Ferry Road, by Inverleith Row) compared to Base 2019 Scenario.

#### Great Junction Street (by Foot of Leith Walk)

- This street is in part of the Leith AQMA.
- 2019 LEZ options:
  - NO<sub>x</sub> emission rates are predicted to decline by 32% for both LEZ options when compared to the Base 2019 scenario (Figure 53). This is likely to be due to buses and taxis moving to full compliance so they can operate within the city centre LEZ, regardless of whether this is the Large or Small LEZ.
  - O Air Quality modelling predicts  $NO_2$  concentrations decline slightly (by around 3  $\mu$ g m<sup>-3</sup>) for both LEZ options. Current air quality modelling predicts concentrations at kerbside points to be around the 40  $\mu$ g m<sup>-3</sup> threshold. A small reduction in emissions may not remove all model exceedances (note that monitored data shows no exceedances since 2017). Further detailed modelling will be carried out to predict concentrations at building façades.
- 2023 'future' LEZ options:
  - NO<sub>x</sub> emission rates are predicted to decline significantly by 43-55% for the 2023 scenarios.
  - o Air Quality Modelling predicts that  $NO_2$  concentrations will decline by around 12  $\mu$ g m<sup>-3</sup> (compared to 2019 levels) to around 32  $\mu$ g m<sup>-3</sup> and therefore model exceedances will be no longer exist.




Figure 53: Relative Changes in Emission Rates (Great Junction Street, by the Foot of the Walk) compared to Base 2019

Scenario.

# **Next Steps**

- Complete air quality modelling which has been delayed to due to the cyberattack that reduced SEPA's modelling capabilities.
- Source apportionment to identify the impact of each vehicle class on air quality on different roads.
- Carry out an analysis of Particulate Matter and Carbon Dioxide emissions.
- Further ANPR surveys are required to monitor the changes in the fleet so that the rate of air quality improvements can be monitored.